

HAFCO VJ-680



Hydraulic Vehicle Positioning Jacks

680kg



HAFCO Hydraulic Vehicle Positioning Jacks VJ-680



Side View



Right View



Left View



Front View



Front View Extended



Side View Extended




Right Side Extended



2 x Swivel Brake Wheels



2 x Swivel Wheels



Lock Pin For Ram



Carry Handle



Positioning Jack in Place 2



Closing Release Valve Ready for Pumping Jack



Hydraulic Foot Pump



Inserting Safety Lock Pin




Wheel Jacked Ready to Move Vehicle

HAFCO Hydraulic Vehicle Positioning Jacks VJ-680



Under Car Rear View



Under Car Rear View 3



Shown Lifting Small Truck Wheel Front View



Foot Pedal Position Lock

Description

The VJ-680 Vehicle Positioning Jacks will save you time and money; the portable hassle free jack-dolly combo lifts cars in seconds, and then allows you to move it effortlessly across a floor. NO MORE four-person crews straining to move a car. NO MORE crushed oil pans or unnecessary damage.

There's no jack like a VJ-680 jack. Its twin rollers slide around the tire and squeeze upward, lifting the tyre smoothly off the ground in seconds with a few pumps of the hydraulic foot pedal.

The low friction, with 360° caster wheels lets you spin, side load, and position the car without damaging the floor or the car, faster and safer than floor jacks and at a fraction of the cost of electric carts.

Features

- Steel constructed frame & hydraulic unit
- Aluminium contact lift rollers for addition strength
- 4 x 360° heavy duty swivel wheels on each positioning jack, 2 x wheels include a safety lock
- Hydraulic ram housed within steel frame preventing damage to ram & seals

Includes

- 2 x Positioning Jacks

Specifications

ORDER CODE	A332
MODEL	VJ-680
Lifting Capacity per Jack (kg)	680
Maximum Tyre Width (mm)	270
Roller Opening (Min-Max) (mm)	350~620
Weight per Jack (kg)	18.5