

## HAFCO TCS-450



Swivel Crane - Truck or Ute

450kg Lifting Capacity



**HAFCO Swivel Crane - Truck or Ute TCS-450**



Supplied with Load Rated Bow Shackle



Handle for Swivelling Crane



Release Valve



Single Action Hydraulic Pump



Swivel Base Greaseable with Locking Handle




Fully Down



Rear View Fully Down



Fully Up



Dimensions

**Description**

Keep it in your workshop, or the back of your ute or truck

## HAFCO Swivel Crane - Truck or Ute TCS-450

### Features

- Heavy duty construction
- 450kg & 230kg lifting positions
- Manual hydraulic lifting pump
- 360° continuous manual rotation
- Supplied with a load rated bow shackle
- 268 x 268mm base plate
- Lifting height (Base to Lifting Shackle): 2350mm
- Storage height folded (from base): 1350mm
- 2 position telescoping boom: 450kg @ 700mm Horizontal Throat, 230kg @ 1060mm Horizontal Throat

### Specifications

<b>Order Code</b>	A353
<b>MODEL</b>	TCS-450
<b>Hydraulic Ram (Tonne)</b>	3
<b>Power Supply (V)</b>	~
<b>Single Line Lifting Capacity (kg)</b>	450
<b>Double Line Lifting Capacity (kg)</b>	~
<b>Lifting System (Type)</b>	Hydraulic - Manual
<b>Lift Capacity Pin Locations (Kg)</b>	450 & 230
<b>Steel Box Section Size - Vertical Support (mm)</b>	70 x 70
<b>Steel Box Section Size - Extension Arm Support (mm)</b>	70 x 70
<b>Max. Lift Height (Base to Lifting Shackle) (mm)</b>	2350
<b>Min. Lift Height (Base to Lifting Shackle) (mm)</b>	50
<b>Overall Height - Boom at Lowest Position (mm)</b>	1350
<b>Nett Weight (kg)</b>	48.5