

HAFCO-METALMASTER EB-320DSV




Swivel Head Metal Cutting Band Saw

Electronic Variable Blade Speed 20 - 75mpm



HAFCO-METALMASTER Swivel Head Metal Cutting Band Saw EB-320DSV



Unique Rotating Table and Dual Mitre Swivel Head



Control Panel



Electronic Variable Speed Dial



Adjustable Automatic Feed




Blade Tension Gauge



Motor and Gearbox Drive



Quick Action Clamp Lever



Wire Wheel and Roller Bearing Blade Guides



Right View



Adjustable Length Stop



Sliding Vice with Quick Action Lock



Quick Action Clamping Lever




Rear View



Coolant System



Blade Height Micro



Blade Guard Micro

HAFCO-METALMASTER Swivel Head Metal Cutting Band Saw EB-320DSV

Features

- 255 x 200mm rectangular capacity
- Electronic variable blade speeds 20 - 75mpm
- Unique rotating table swivels with the cutting head
- Larger cutting capacity than conventional cold saws
- Heavy-duty gear drive system
- Ball bearing blade guides ensures minimal blade clearance wear and increases blade life due to less friction
- Swivel head dual mitre cut to 45° right & left, 60° right
- Quick action lock/release lever for swivel head
- Quick action vice release to change opening & closing
- Quick-action clamping lever for repetition work
- Unique sliding vice design for dual mitre operation
- Coolant system for cutting efficiency and blade life
- Material support roller for long stock
- User friendly blade tension system with gauge
- Adjustable hydraulic cylinder for auto feed
- Vibration free, low noise operation ensures clean & high precision cuts
- Machine stand with integrated cooling fitted as standard

Specifications

ORDER CODE	B067D
MODEL	EB-320DSV
Operation Type	Swivel Head - Dual Mitre
Round @ 90° (mm)	255
Round @ 45° (mm)	195
Round @ 60° (mm)	115
Square @ 90° (mm)	200
Square @ 45° (mm)	180
Square @ 60° (mm)	115
Rectangle (W x H) @ 90° (mm)	255 x 200
Rectangle (W x H) @ 45° (mm)	190 x 130
Rectangle (W x H) @ 60° (mm)	115 x 115
Coolant System	Yes
Table Working Height (mm)	950
Cutting Head Beam Type	Manual
Cutting Head Beam Return	Manual Return
Cutting Head Down Feed Control	Adjustable Hydraulic
Vice Clamping Fixture	Manual - Quick Action
Bundle Cutting Fixture	~
Blade Steps / Speeds (M/Min)	20-75
Blade Size (L x W x T) (mm)	2750 x 27 x 0.9
Motor Power (kW / hp)	1.5 / 2
Voltage / Amperage (V / amp)	415
Nett Weight (kg)	380