

HAFCO CW-125S



Industrial Caster Wheels

Ø125mm Wheels



HAFCO Industrial Caster Wheels CW-125S



Foot Brake Activated



Foot Brake Released



Top View



Ball Bearings Base with Greasing Nipple



Foot Brake With Swivel Base Lock

Description

Industrial quality Ø125mm caster wheels, Tyre is made from tough elastic rubber with an load capacity of up to 410kg per caster.

Features

- Ø125mm x 50mm wide steel wheel with bonded polyurethane
- 2 x swivel wheels with brake
- 410kg each wheel capacity
- Brake also locks wheel from swivelling
- Swivel base incorporates ball bearings
- Ball bearing sealed race on main shaft
- 165mm overall height from base of wheel to top of plate
- Mounting plate 114 x 102mm with 4 slotted holes

Specifications

ORDER CODE	C412
MODEL	CW-125S
Quantity of Wheels in Pack (No.)	2
Wheel Type	2 Swivel/Brake
Wheel Diameter (mm)	Ø125
Wheel Width (mm)	50
Total Height to Top of Plate (mm)	165
Load Capacity per Wheel (kg)	410
Load Capacity per Set (kg)	820

HAFCO Industrial Caster Wheels CW-125S

Nett Weight (kg)	8
-------------------------	----------
