

HAFCO-METALMASTER GHD-38A



Industrial 4MT Geared Head Drilling Machine

Ø40mm Drilling Capacity with Automatic Feed & Tapping



HAFCO-METALMASTER Industrial 4MT Geared Head Drilling Machine GHD-38A

Features

- Ideal for industrial workshop use
- Geared head drilling machine with 4 morse taper spindle
- Thread tapping with auto reverse
- Automatic feed range (0.1, 0.2mm/rev)
- 18 drilling speeds from 50-1450rpm
- Chuck guard with micro-switch
- Drill ejector incorporated in machine
- Coolant pump system with flexible hose
- Work light mounted in convenient location
- 40mm drill capacity with 180mm of Spindle travel
- Oil sight glass for geared head and feed gearbox
- Modern electrics to European CE standards
- Forward and reverse spindle switch with high and low speeds
- Emergency stop switch and overload protection
- Substantial heavy walled column ensuring greater rigidity
- Adjustable accurate depth setting with auto feed cut out for increased productivity
- Rack and pinion wind-up table
- T slotted work table and base

Includes

- 16mm drill chuck and arbor
- Coolant pump system
- Auto feed
- Tapping function
- Safety chuck guard
- Work light

Specifications

ORDER CODE	D132
MODEL	GHD-38A
Drilling Capacity (mm)	Ø40
Thread Tapping Capacity (Metric)	M24
Spindle Taper (MT)	4
Spindle Travel (mm)	180
Throat Depth (mm)	350
Quill Diameter (mm)	75
Column Diameter (mm)	150
Spindle To Table (mm)	780
Spindle To Base (mm)	1320
Table (Type)	Square
Table Size (mm)	560 x 560
T-Slot Size (mm)	18
Automatic Quill Feed (mm/rev)	0.1, 0.2
Work Light (Includes)	Yes
Coolant System (Includes)	Yes
Spindle Speed Steps (No.)	18
Spindle Speed Range (rpm)	50 ~ 1450

HAFCO-METALMASTER Industrial 4MT Geared Head Drilling Machine GHD-38A

Motor Power (kW / hp)	1.5 / 2
Voltage / Amperage (V / amp)	415
Full Height (mm)	2220
Nett Weight (kg)	550