

HAFCO-METALMASTER DMF-43



Workshop 3MT Geared & Tilting Head Mill - Drill

Ø31.5mm Drilling Capacity



HAFCO-METALMASTER Workshop 3MT Geared & Tilting Head Mill - Drill DMF-43



Right View



Chuck Guard



Head Full View



Front Controls



Drawbar for Milling



Gear Selection Levers



6 Drill Speeds from 75 to 1600rpm



Emergency Stop Switch and Overload Protection




Quill Handle




Swivel Head



Rack and Pinion Wind Up Table



Concertina Slideway Cover



T Slotted Base



T Slotted Work Table



Table Longitudinal Travel Handle



Drill Chuck

HAFCO-METALMASTER Workshop 3MT Geared & Tilting Head Mill - Drill DMF-43



Rack and Pinion Wind Up Table



Parts

Features

- Ideal for home or light industrial workshop use
- Geared head drill & mill machine with 3 morse taper spindle
- 6 drilling speeds from 75-1600rpm
- 1.1kW 240V motor
- Micro down feed adjustment
- Tilting head $\pm 90^\circ$
- Milling table travels 365 x 240mm
- Swivel safety drilling chuck guard
- Emergency stop switch and overload protection
- Adjustable accurate depth setting for increased productivity
- Rack and pinion wind-up table
- Rack and pinion wind-up drill head
- Thick walled column ensuring greater rigidity
- Concertina slide way cover on y axis
- Adjustable gibs on table
- 12mm T slotted work table and base
- Includes drawbar for milling

Includes

- Milling cutter
- 16mm keyed drill chuck and arbor
- Chuck key to suit
- Drill drift tool to remove drill chuck or taper shank drills
- Safety cutter guard

Specifications

ORDER CODE	D182A
MODEL	DMF-43
Drilling Capacity (mm)	Ø31.5
Thread Tapping Capacity (Metric)	~
Spindle Taper (MT)	3
Spindle Travel (mm)	120
Throat Depth (mm)	280
Quill Diameter (mm)	80
Column Diameter (mm)	115

HAFCO-METALMASTER Workshop 3MT Geared & Tilting Head Mill - Drill DMF-43

Spindle To Table (mm)	625
Spindle To Base (mm)	1200
Table (Type)	Rectangle, X & Y-Axis
Table Size (mm)	600 x 190
T-Slot Size (mm)	12
Automatic Quill Feed (mm/rev)	~
Work Light (Includes)	~
Coolant System (Includes)	~
Spindle Speed Steps (No.)	6
Spindle Speed Range (rpm)	75 ~ 1600
Motor Power (kW / hp)	1.1 / 1.5
Voltage / Amperage (V / amp)	240 / 10
Full Height (mm)	1990
Nett Weight (kg)	350