



HAFCO-METALMASTER PD-325

Medium-Duty Pedestal Drill - Belt Drive

Table Tilts Left & Right To 45° & Rotates 360°



HAFCO-METALMASTER Medium-Duty Pedestal Drill - Belt Drive PD-325



Left View



Magnetic Switch



Emergency Stop Switch



Adjustable Safety Chuck Guard With Flip Up Screen



Safety Chuck Guard Flipped Up



1 Piece Cast Iron Drilling Lever



80mm Spindle Travel



Drilling Depth Stop Setting With Scale



Safety Micro Switch on Pulley Guard



Head Side View



A Section Belt Drive System




Chuck Key Holder



Belt Tension Lever and Lock



Speed Chart



Recommended Speed for Drill Size and Material



Tilting and Rotating Cast Iron Table

HAFCO-METALMASTER Medium-Duty Pedestal Drill - Belt Drive PD-325



Tilt Table Scale



Work Table




Table Height Adjustment
Crank



Base



Drill Drift

Description

This versatile & reliable PD-325 pedestal drill is the bigger brother to the BD-325 model, and has an advantage over the bench model as it does not take up valuable bench space. Still very useful for anyone requiring to drill consistent accurate holes and is commonly suited for any home workshop or garage use.

Mostly constructed from cast iron and machined steel to provide superior stability and strength. Powered by a 0.75kW, 1hp, 240-volt induction motor and coupled to a 12-belt speed pulley system offering wide range of speeds between 280-2380rpm. The down feed handle is also made from cast iron in one solid piece design and fitted with soft hand grips for your comfort & convenient drilling depth feed control.

The drill quill is equipped with a 2 morse taper spindle allowing you to fit 2MT drill bits directly to the spindle or 1MT drill bits with an optional adaptor. A quality Ø3-Ø16mm keyed drill chuck with 2MT arbor is included & fitted. The drill table can tilt left or right, rotate 360 degrees and the height is also easily adjusted up or down via rack & pinion hand lever & can be locked into position. Furthermore, the whole table assembly can be swivelled away to allow the machined base to be used as a work support.

The magnetic safety switch with emergency stop is conveniently front mounted for quick access. The drill also includes an adjustable safety drill chuck guard and the belt cover is equipped with a safety switch to ensure safe belt speed changing.

HAFCO-METALMASTER Medium-Duty Pedestal Drill - Belt Drive PD-325

Features

- Ideal for home, workshop or farm use
- Quiet V-belt drive system
- Quick action belt tensioning lever
- Drill chuck key holder mounted on right side of the machine
- Adjustable safety drilling chuck guard with flip up screen
- One piece cast iron drilling lever with comfort grips
- Safety micro switch on pulley guard
- Safety magnetic-type switch
- Rack & pinion table height adjustment with locking lever
- Thick walled column ensuring greater rigidity
- Table tilts left & right to 45° & rotates 360°
- Drilling depth stop
- Slotted work table
- 12 Spindle speeds - 280, 420, 440, 550, 620, 660, 1150, 1180, 1400, 1550, 1830, 2380rpm
- Fan-cooled, copper wound 240V motor

Includes

- 16mm keyed drill chuck and arbor
- Chuck key to suit
- Drill drift tool to remove drill chuck or taper shank drills

Specifications

ORDER CODE	D592
MODEL	PD-325
Type - Bench / Pedestal	Pedestal
Duty Type	Medium-Duty
Drilling Diameter Capacity (mm)	Ø16
Spindle Taper (MT)	2
Spindle Travel (mm)	80
Throat Depth (mm)	162.5
Quill Diameter (mm)	40
Collar Diameter (mm)	55
Column Diameter (mm)	72
Spindle To Table (mm)	725
Spindle To Base (mm)	1205
Table Shape	Round
Table Size (mm)	290
Work Light	~
Micro Switch On Pulley Guard	Yes
Drive Belt Type	A Section
Spindle Speed Steps (No.)	12
Spindle Speed Range (rpm)	280 - 2380
Motor Power (kW / hp)	0.75 / 1
Voltage / Amperage (V / amp)	240 / 10
Overall Height (mm)	1580
Nett Weight (kg)	55

HAFCO-METALMASTER Medium-Duty Pedestal Drill - Belt Drive PD-325