

**HAFCO HF-42****Portable Magnetic Drill****Includes 13mm Drill Chuck & Adaptor**

HAFCO Portable Magnetic Drill HF-42



Side View & Control panel



Feed Handle



Quick Release Chuck (Cutter Not Included)



Coolant Bottle



Carry Handle



Case



Tooling and Parts

Description

Manufactured in Taiwan

Hafco Magnetic base drills are designed to meet productivity & safety expectations

On-site hole cutting in steel plates, H-Beams shaped bars, framework, ship building, bridge construction and repair, steel reinforcements, and many other metal working and construction jobs.

NOTE: Shown with optional broach cutter

Features

- Compact design with heavy duty magnet
- Quick release chuck for broach cutters
- Drills up to 42mm diameter through 50mm plate
- Motor height adjustment allows for greater range of accessory compatibility
- Gravity feed coolant system
- Includes 13mm drill chuck & adaptor to use twist drills
- CE approved

HAFCO Portable Magnetic Drill HF-42

Includes

- Quick release chuck for broach cutters
- 13mm drill chuck and adaptor
- Coolant tank kit
- Safety chain
- Blow mould plastic case

Specifications

ORDER CODE	D9509
MODEL	HF-42
Feed	Manual
Drilling Capacity Range - Manual (mm)	12 - 42
Drilling Capacity Range - Auto Feed (mm)	~
Height Adjustment (mm)	~
Stroke (mm)	~
Maximum Thickness (mm)	50
Suits Cutter Shank Size (mm)	19
Number of Drilling Speeds (No.)	1
Full Load Drilling Speeds (rpm)	270
No Load Drilling Speeds (rpm)	450
Magnetic Holding Power (kg/f)	1733
Motor Power (kW / hp)	1.1 / 1.46
Voltage / Amperage (V / amp)	240 / 10
Machine Weight Only (kg)	12.6
Nett Weight (kg)	17.5