



TOOLMASTER

HSS Drill Broach Cutter

Suits Toolmaster Magnetic Base Drills



TOOLMASTER HSS Drill Broach Cutter

Includes Locating Pin



Cutting Edge



Universal Shank



Universal Shank Rear Side



Universal Shank Rear View

Description

Ultra hardened High Speed Steel Universal Broach Cutter, designed to be used with a Magnetic Base Drill; where a quick and portable solution is required when drilling into Cast Iron, Cast Steel, Carbon Steel, Alloy Steel, Stainless Steel, Copper or Aluminium.

Features

- Made of Quality, ultra hardened High Speed Steel
- Single pass cutting - does not need a pilot hole
- Produces less swarf than conventional drilling
- Cuts only thin width from outer edge of the hole, reducing drilling time
- Ø19mm universal shank to fit most magnetic base drills
- Also fits into most quick change systems

Includes

- Locating & ejector pin - reduced tip

TOOLMASTER HSS Drill Broach Cutter

Specifications

ORDER CODE	D9512
Brand	Toolmaster
Drill Diameter (mm)	Ø12
Drill Depth (mm)	30
Countersink / Chamfer	~
Shank Diameter (mm)	Ø19
Pin Diameter (mm)	Ø6.35, Reduced Tip