

SCHEPPACH QLD Schools / TAFE



Slik 7.0b Oscillating Belt Sander

QLD Contract



SCHEPPACH Slik 7.0b Oscillating Belt Sander QLD Schools / TAFE



W340 100mm Steel Wire
Hose Clamp x2



W3981 DCH 100 3 3 Metre
PVC Dust Hose 100mm 4

Features

- Oscillating sander with graphite pad for smooth operation
- Easy belt tracking adjustment
- Rear material guide stop
- Safety magnetic stop switch
- 90 ~ 180° tilting sanding belt
- 2515mm x 150mm belt with 16M/sec belt speed
- 90 ~ 40° tilting cast iron side table
- 850 x 300mm cast iron side table with 90mm height adjustment
- Table height adjustment via hand wheel located in convenient location
- 300 x 245mm cast iron end table with 130mm height adjustment
- 2.2kW / 3hp, 2800rpm, 240V direct drive motor

Includes

- Cabinet storage stand
- End & side cast iron tables
- Spare finishing belts
- Aluminium mitre guide
- Table guide support
- (W340) - DCC-100 - Dust Hose Clamp - Ø100mm (4") x2
- (W3981) - DCH-100-3 - 3 Metre PVC Dust Hose - Ø100mm (4")
- Included Safety Feature
- Roving E-Stop

Specifications

ORDER CODE	K8804
NSW DOE Item No.	~
QLD DOE Item No.	
MODEL	Schools / TAFE
Disc Diameter (mm)	~
Variable Table Feed Speed (m/min)	~
Sanding Drum Speed (rpm)	~
Belt Size (mm)	2515 x 150
Drum Diameter (mm)	~
Max Sanding Width (mm)	~

SCHEPPACH Slik 7.0b Oscillating Belt Sander QLD Schools / TAFE

Max Sanding Thickness (mm)	~
Min Sanding Thickness (mm)	~
Dust Collector Ports (No. x mm)	~
Feed Motor Power (hp)	~
Motor Power (kW / hp)	2.2 / 3
Voltage / Amperage (V / amp)	240 / 15
Nett Weight	185