


CANELA RCMT10T3M0TN15**CANELA****CANELA Round Positive Turning Insert****TN15 - Finishing Medium**

CANELA CANELA Round Positive Turning Insert RCMT10T3M0TN15

Tip



Tip Top View

Description

Light to medium-duty machining operations. Low cutting forces and reduced power requirements thanks to positive rake angle. Good chip control over a wide range of materials. It is also used on short-chipping cast-iron materials.

Main application area:

Cutting depth (A_p): 0.5 - 4 mm



Feed (f): 0.15 - 0.4 mm

Features

- Ø10mm Round Positive Turning Insert
- 10 Inserts Per Pack
- Use Classification - Continuous Slight interruption

Specifications

CANELA CANELA Round Positive Turning Insert RCMT10T3M0TN15



s
3.97 mm

d
10.0 mm

CANELA CANELA Round Positive Turning Insert RCMT10T3M0TN15

ORDER CODE

CANELA CANELA Round Positive Turning Insert RCMT10T3M0TN15

L0525

MODEL	RCMT10T3M0TN15
Grade	TN15
Application	Finishing Medium
Pieces in Set (Qty)	10
[D] Insert IC Size (Inscribed Circle) (mm)	~
[D1] Insert Hole Size (mm)	~
[L10] Insert Cutting Edge Length (mm)	~
[S] Insert Thickness (mm)	3.97
[Rε] Corner Radius (mm)	~
Relief Angle (Deg)	7°
d (mm)	Ø10mm
Insert shape (Style)	R - Round