

HAFCO-WOODMASTER DS-13



Drum Sander

Variable Conveyor Feed Speeds



HAFCO-WOODMASTER Drum Sander DS-13



Drum



Lid Safety Interlock Switch



Table Height Gauge



Emergency Stop



Safety Interlock Switch




Table Variable Feed Dial



Table Feed Motor



Rear View



Top View

Features

- 330mm sanding width capacity
- Rigid design and construction
- Ø100mm dust outlets
- Variable speed conveyor feed
- Easy and convenient belt tracking system
- Safety magnetic switch with raised emergency stop button
- Dynamically balanced sanding drums ensure smooth running
- 1.12kW / 1.5hp Induction 240V motor
- Safety magnetic switch on drum guard
- Quality Taiwanese

HAFCO-WOODMASTER Drum Sander DS-13**Includes**

- Stand

Specifications

ORDER CODE	L1105
MODEL	DS-13
Variable Table Feed Speed (m/min)	1 - 6.6
Sanding Drum Speed (rpm)	860
Belt Size (mm)	1935 x 85
Drum Diameter (mm)	127
Maximum Material Width (mm)	330
Maximum Material Thickness (mm)	100
Minimum Material Thickness (mm)	6
Dust Collector Port Diameter (Qty x mm)	1 x Ø100
Feed Motor Power (hp)	1/15
Motor Power (kW / hp)	1.12 / 1.5
Voltage / Amperage (V / amp)	240 / 10
Floor Space (W x D x H) (mm)	~
Nett Weight (kg)	114.5