



TOOLMASTER SRDCN-2525M10T3S

Round / Positive - Turning Tool Holder

25mm Tool Height



TOOLMASTER Round / Positive - Turning Tool Holder SRDCN-2525M10T3S

Description

Quality Tipped Tool Holders ISO Standard to suit Tungsten Carbide Indexable Insert Tips.

NOTE: Inserts not included with tool holders


Use insert RCMT10T3M0TN15 (L0525)
SHIM SMR-1003 (aka the SEAT) (L5228)
SHIM SCREW SN535 (L5225)
INSERT SCREW CS35115 (L5226)
SHIM SCREW WRENCH LW035 (L5227)
SCREW TORX KEY FT-15 (L538)

Please note the 'SHIM SCREW' is installed with 'SHIM SCREW WRENCH' SN535 and once installed the INSERT is then held into place via the INSERT SCREW CS35115 which then screws into the SHIM SCREW (if shim breakage occurs both screws should be replaced)

Features

- Positive rake profiling tool holder with round insert
- Finishing to Medium metal removal applications

Specifications



TOOLMASTER Round / Positive - Turning Tool Holder SRDCN-2525M10T3S

ORDER CODE

TOOLMASTER Round / Positive - Turning Tool Holder SRDCN-2525M10T3S

L4072

Part Number - Style	SRDCN
Tool Height Size (mm)	25
Clamping Method of Insert	Center screw
Category	External turning
Connection style	Square shank
Back End Size	25x25
Application	Profiling Turning
Hand Type	Neutral
Holder Style	45°
Clearance Angle	Positive
Insert Type	RCMT10
A (H) (mm)	25
B (mm)	25
C (LF) (mm)	150
LH (mm)	20.3
F (WF) (mm)	17.5
E (mm)	~