

HAFCO PPB-2



Hydraulic & Pneumatic Pipe Bender

Ø1/2" - Ø2" NB Pipe Capacity



HAFCO Hydraulic & Pneumatic Pipe Bender PPB-2



Front View



Rear View

Description

PNEUMATIC WATER PIPE BENDER

Features

- 6 cast steel pipe formers to suit (Ø1/2", Ø3/4", Ø1", Ø1-1/4", Ø1-1/2", Ø2" water pipe)
- Designed to work on its side as well as vertically
- Quick & easy to adjust guide pins to suit pipe
- Bend pipe up to a maximum of 90°
- 12 tonne bottle jack
- Spare formers available

Includes

- Pipe Formers:
- (Ø1/2", Ø3/4", Ø1", Ø1-1/4", Ø1-1/2", Ø2")

Specifications

ORDER CODE	P065
MODEL	PPB-2
Material (Type)	Pipe
Material Section (Type)	Round
Machine (Type)	Pneumatic & Manual Hyd.
Hydraulic Jack Size (Tonne)	12
Round Pipe Range (NB) - Mild Steel (inch / mm)	Ø1/2" - Ø2"
Round Tube Range (OD) - Mild Steel (inch / mm)	~
Square Tube Range (inch / mm)	~
Tube Wall Thickness - Mild Steel (inch / mm)	~
Round Pipe (NB) x Wall Capacity - Mild Steel (inch)	~
Round Pipe (NB) x Wall Capacity - Aluminium (inch / mm)	~
Round Pipe (NB) x Wall Capacity - Stainless Steel (inch / mm)	~
Round Tube (OD) x Wall Capacity - Mild Steel (inch / mm)	~

HAFCO Hydraulic & Pneumatic Pipe Bender PPB-2

Round Tube (OD) x Wall Capacity - Aluminium (inch / mm)	~
Round Tube (OD) x Wall Capacity - Copper, Brass (inch / mm)	~
Round Tube (OD) x Wall Capacity - Stainless Steel (inch / mm)	~
Round Tube (OD) x Wall Capacity - Chromoly (inch / mm)	~
Solid Rod - Mild Steel (inch / mm)	~
Square Tube x Wall Capacity - Mild Steel (inch / mm)	~
Rectangle Tube x Wall Capacity - Mild Steel (inch / mm)	~
Bend Speed - Maximum (Deg / Sec)	~
Bend Direction	~
Centre Line Radius - Maximum (CLR) (inch / mm)	~
Centre Line Radius - Minimum (CLR) (inch / mm)	~
Tube Formers Included (inch / mm)	~
Pipe Formers Included (inch / mm)	1/2", 3/4", 1", 1-1/4", 1-1/2", 2"
Spigot Size on Ram (inch / mm)	20
Angle Capacity (deg)	~
Hydraulic Pressure - Maximum (psi)	~
Motor Power (kW / hp)	~
Voltage / Amperage (V / amp)	~
Nett Weight (kg)	43