

RECORD POWER CH600



Deep Bowl Gouge - HSS Wood Turning Tool

12.7mm (1/2")



RECORD POWER Deep Bowl Gouge - HSS Wood Turning Tool CH600

Closeup



Dimensions

Description**Record Power CH600 Deep Bowl Gouge - HSS Wood Turning Tool**

(HSS) High Speed Steel material composite is W6Mo5Cr4V2, consisting of Tungsten, Vanadium, Molybdenum, Chromium, Sulfur, Phosphorus, Manganese, Silicon & Carbon. These HSS tools have a very high resistance to wear & softening at high temperatures whilst maintaining a good toughness on the cutting edge, that's very crucial in a good quality turning tool as it keeps its edge sharper than normal carbon steel by a ratio of ten to one.

Durable Material - The handles are made from Beech with an attractive Rosewood stain. This close grained hardwood gives the necessary weight, strength and durability that a good quality tool needs.

Tangs - The handle tangs are long, strong and fully inserted in to the chisel handles.

Handle Shape - The handles are shaped to encourage holding near the bottom to give the best control. Ergonomically designed in consultation with professional turners.

Handle Length There are 2 sizes - 9" for chisels, requiring fine control (e.g Spindle Gouges and Skews) and 16" handles for smooth sweeping cuts (e.g Bowl Gouges).

Strong Ferrules To give superior support to the blade in the handle, the walls of the brass ferrules are extra thick and the ferrule is pinned to the handle rather than the less secure crimping method.

Features

- This balanced bowl gouge is ideal for all aspects of bowl and goblet turning whether on the internal or external faces of the workpiece. Fitted with a 16" handle and 9 1/4" blade it is easy to achieve the required sweep, even when taking heavy cuts to hollow out the centre of a bowl for example. The very solid section of HSS minimises chatter and vibration.

RECORD POWER Deep Bowl Gouge - HSS Wood Turning Tool CH600

Specifications

ORDER CODE	R8145
MODEL	CH600
Set Type	Deep Bowl Gouge
Number of Pieces (No.)	1
Chisel Size & Type	12.7mm (1/2")