

## RECORD POWER TS250RS

**RECORD POWER**  
ESTABLISHED 1908

### Table Saw with H/D Sliding Beam



## RECORD POWER Table Saw with H/D Sliding Beam TS250RS



High Quality Sliding Beam



Rise and Fall



Robust Fence System



Stop



Easily Handles Compound Mitre Cuts



Whats on the Inside



Shown in Standard Configuration

### Description

The Record Power TS250RS features a cast iron saw unit mounted on two substantial cast iron trunnions, CNC machined for accuracy and smooth operation. The trunnions are mounted on a solidly fabricated steel base to reduce vibration passing through to the table.

The sliding table has been upgraded and with the optional squaring frame offers a professional solution to panel sizing and cross cutting. Both tables are machined for accuracy.

Blade tilt and rise are handled smoothly by separate mechanisms operated by a rolled acme thread solid steel lead screw. The rip fence is mounted on a solid steel bar with a heavy cast mount featuring micro adjustment. This machine makes no compromises, offering repeatable accuracy on both panel work and solid timber and offers exceptional value for money. If you are in the market for a good quality, versatile saw then make sure you seek out this machine at a local dealer or show, as it needs to be seen to fully appreciate the value on offer.

Shown with optional right hand extension and squaring frame.

### Features

- On the Inside - Not all machines are the same. Whilst looking impressive from the outside, it is what's on the inside that really counts and Record Power table saws are much more heavily made than competition at the same price. Make sure you research alternatives thoroughly and look inside if you can.
- Rise and Fall - Separate rise and fall table tilt handwheels - providing smooth and accurate control via thick steel bars with rolled acme threads for fast smooth action.
- High Quality Sliding Beam - The sliding beam rests on a substantial mount offering smooth and accurate operation. Stroke is generous at 1225mm and can cut 10' x 8' sheets across the width.
- Beam Stop - The Sliding beam features a sturdy stop allowing the beam to be held in position safely when sliding action is not required.
- Robust Fence System - The heavy extrusion is fixed to a solid cast iron mount and fitted with micro-adjustment. The whole unit slides smoothly on an industrial style solid steel bar, which has adjustment that will stay put once set.

## RECORD POWER Table Saw with H/D Sliding Beam TS250RS

- Table - The main table is made from cast iron and is surface ground for an accurate, smooth surface.
- Blade tilt up to 45°
- 250mm Blade x 30mm bore
- Blade speed: 4000rpm
- Sliding Carriage Stroke: 1225mm
- Max depth of cut at 90°: 80mm
- Max depth of cut at 45°: 54mm
- Table Height from Floor: 855mm
- Size: L1320 x W870 x H1910mm

### Includes

- Enclosed cabinet
- Heavy duty rip fence

### Specifications

<b>ORDER CODE</b>	R911
<b>MODEL</b>	TS250RS
<b>Blade Diameter (mm)</b>	Ø250
<b>Table Size (W x H) (mm)</b>	~
<b>Table Size With Extensions (mm)</b>	~
<b>Max. Depth Of Cut 90° &amp; 45° (mm)</b>	80 / ~
<b>Scribe Blade Diameter (mm)</b>	~
<b>Tilt Arbor To 45°</b>	Yes
<b>Sliding Table Stroke (mm)</b>	~
<b>Cross Cut with Flip Over Stop (mm)</b>	~
<b>Cross Cut with Extension Stop (mm)</b>	~
<b>Rip Capacity (mm)</b>	930R / 610L
<b>Motor Power (kW / hp)</b>	1.5 / 2
<b>Voltage / Amperage (V / amp)</b>	240 / 10
<b>Floor Space Required (W x D x H) (mm)</b>	~
<b>Weight (nett) (kg)</b>	114