

METALMASTER MB-650D




Magnetic Panbrake

650 x 1.6mm Mild Steel Bending Capacity



METALMASTER Magnetic Panbrake MB-650D



Material Thickness Clamp Adjustment 1



Material Thickness Clamp Adjustment 2



Bend Angle Guide



Bend Angle Guide Stop



Material Length Stop



Clamp Bar Tray



Included Material Clamp Bars

Description

NEW GENERATION BENDING! - Electromagnetic sheet metal folding machine

Bends all types of sheet metal, aluminium, copper, stainless steel for Typical industries: Roofing, Aircraft, General Sheet Metal Fabrication

3 Tonne Clamping Force (with standard full-length clamp bar)

Features

- Electromagnetic rather than mechanical clamping
- Excellent design easy to use - forming deep channels and closed sections, deep boxes
- Much greater versatility than conventional sheet metal benders
- No limitation to depth of boxes
- Can form deep channels, and completely closed sections
- Automatic clamping and unclamping means faster operation, less fatigue
- Quick and accurate sliding angle guide on bending arm
- Infinite length bending in stages is possible
- Accurate and continuous indication of beam angle
- Open ended design allows folding of complex shapes
- Machines can be ganged end-to-end for long bending
- Adapts easily to customised tooling (clamp bars of special cross-sections)
- Includes foot control, full length narrow, slotted & segmented clamp bars
- Mild steel capacity is rated on hot rolled material with 250MPA

METALMASTER Magnetic Panbrake MB-650D

Includes

- Segmented clamp bars; 25, 38, 52, 70, 140 & 280mm lengths
- Standard clamp bar 670mm long (W 100mm x H 15mm)
- Slotted clamp bar 670mm long (W 100mm x H 15mm)
- Narrow clamp bar 670mm long (W 50mm x H 15mm)

Specifications

ORDER CODE	S540
MODEL	MB-650D
Foot Control Fitted	Yes
Mild Steel Capacity (mm)	1.6
Bending Length (mm)	650
Voltage / Amperage (V / amp)	240 / 10
Nett Weight (kg)	86