

## **HAFCO-METALMASTER SL-100**



### **Swivel Head Slotting Machine**

**100mm Stroke**



## HAFCO-METALMASTER Swivel Head Slotting Machine SL-100



Front View



Right View



Side View



Head



Table



Handle



Stroke Adjustment



Switch




Strokes Per Minute Chart




Head Adjustment Handle




Safety Guard



Speed Chart




Concertina Slideway Covers



Slotting Head



Shown Slotting



Shown Slotting Front View

## HAFCO-METALMASTER Swivel Head Slotting Machine SL-100

### Features

- Heavy duty cast iron construction
- Swivel head tilts left and right 90°
- Dovetail vertical Z-Axis
- 0-100mm machining stroke range
- Strokes per minute 60-350 (6 ranges)
- 800 x 240mm table size
- 230mm working table cross travel
- 560mm working table longitudinal travel
- Safety chuck guard with micro
- 14mm T-Slot on table
- 370W/0.5hp, 240V motor
- Includes steel fabricated stand
- Suits 16mm diameter tooling

### Specifications

|                                            |                  |
|--------------------------------------------|------------------|
| <b>ORDER CODE</b>                          | S707             |
| <b>MODEL</b>                               | SL-100           |
| <b>Maximum Stroke (mm)</b>                 | 100              |
| <b>Ram Stroke (strokes/min) (SPM)</b>      | 60-350 (6 steps) |
| <b>Throat Depth (mm)</b>                   | ~                |
| <b>Rotary Table Size (mm)</b>              | ~                |
| <b>3-Jaw Chuck Size (mm)</b>               | ~                |
| <b>Work Table Size (mm)</b>                | 800 x 240        |
| <b>Work Table longitudinal Travel (mm)</b> | 560              |
| <b>Work Table Cross Travel (mm)</b>        | 230              |
| <b>Motor Power (kW / hp)</b>               | 0.37 / 0.05      |
| <b>Voltage / Amperage (V / amp)</b>        | 240 / 10         |
| <b>Nett Weight (kg)</b>                    | 300              |