

SAHINLER HPK-65

Section & Pipe Rolling Machine

60 x 60 x 6mm Angle Capacity



SAHINLER Section & Pipe Rolling Machine HPK-65



S754



Control Panel

Features

- Rolls are hardened & made from high quality steel
- Drive shafts are hardened and ground with double taper roller bearing support
- Machine can be set up in horizontal or vertical working position
- Roving foot pedal control with emergency stop
- Three rollers are powered
- European quality

Includes

- Includes standard rolls and guide rolls
- Independently adjustable hydraulic bottom rollers for pre-bend
- Two digital readout display
- 3-Axis mechanical lateral angle guide rollers

Specifications

ORDER CODE	S754
MODEL	HPK-65
Powered Driven Rolls (Qty)	3
Bending Rolls (Type)	Hydraulic - Left & Right
Top Roll Shaft Diameter (Ø) (mm)	~
Lower Roll Shaft Diameter (Ø) (mm)	~
Top Roll Diameter (Ø) (mm)	180
Lower Roll Diameter (Ø) (mm)	~
Flat Bar Edge Capacity - MS (size / Ø) (mm)	60 x 10 / 500
Flat Bar Capacity - MS (size / Ø) (mm)	80 x 20 / 500
Square Bar Solid Capacity - MS (size / Ø) (mm)	32 x 32 / 400
Rectangle Tube Capacity - MS (size / Ø) (mm)	50 x 25 x 3 / 450*
Square Tube Capacity - MS (size / Ø) (mm)	45 x 45 x 3 / 600*
Round Bar Solid Capacity - MS (size / Ø) (mm)	Ø35 / 350*
Round Tube Capacity - MS (size / Ø) (mm)	Ø60 x 2 / 600*
Round Pipe Capacity - MS (size / Ø) (inch / mm)	Ø2" x 3.91mm / 400mm*
Angle Capacity - MS (size / Ø) (mm)	60 x 60 x 6 / 650
Motor Power (kW / hp)	3 / 4

SAHINLER Section & Pipe Rolling Machine HPK-65

Voltage / Amperage (V / amp)	415
Dimensions (L x W x H) (mm)	1200 x 850 x 1200
Note: Requires Additional Tooling (No / Yes*)	Yes*
Nett Weight (kg)	1000