

**SAFEWAY CHV-130V**



**Safeway Compact Hydraulic Vice**


**130mm Jaw Width**



## SAFeway Safeway Compact Hydraulic Vice CHV-130V



Shown with Handle



Insert


### Description

Safeway Precision 130mm Compact Hydraulic Vice for use where precise work holding is required is a restricted space.

### Features

- Precision ground on all surfaces
- Flame-hardened bed to HRC 45
- Semi-sphere to eliminate jaw lift
- swarf covers over leadscrew
- Toleranced for use as matched pairs

### Specifications



<b>ORDER CODE</b>	V321
<b>MODEL</b>	CHV-130V
<b>Jaw Width (mm)</b>	130
<b>D - Jaw Width (mm)</b>	131
<b>J - Jaw Opening (mm)</b>	180

**SAFEWAY Safeway Compact Hydraulic Vice CHV-130V**

<b>J1 - Jaw Opening with Optional Jaws (mm)</b>	180 - 240
<b>J2 - Jaw Opening with Optional Jaws (mm)</b>	180 - 290
<b>J3 - Jaw Opening with Optional Jaws (mm)</b>	180 - 380
<b>K - Jaw Height (mm)</b>	52
<b>Pressure (kgf)</b>	4500
<b>A (mm)</b>	540
<b>B (mm)</b>	405
<b>C (mm)</b>	135
<b>E (mm)</b>	147
<b>F (mm)</b>	150
<b>G (mm)</b>	70
<b>H (mm)</b>	15
<b>I (mm)</b>	115
<b>L (mm)</b>	22
<b>M (mm)</b>	125
<b>N (mm)</b>	18
<b>P (mm)</b>	14
<b>X (mm)</b>	65
<b>Y (mm)</b>	95
<b>Nett Weight (kg)</b>	37