

**STRONG HAND TOOLS TDQ612075-K1**

**66 Piece - Rhino Cart Mobile Fixturing Station**


**1200 x 750 x 910mm (LxWxH)**



## STRONG HAND TOOLS 66 Piece - Rhino Cart Mobile Fixturing Station TDQ612075-K1



Accessories Included



Shown In Use



Shown with Accessories



Right Low View



Left View



Left Low View



Front View



Left Side View



Rear Right View




Rear Left View




Nitrided and Black Oxide Table Plate is Reversible



16mm Thick Table Top



16mm Hole Diameter Table Top



50 x 50mm Grid Pattern



910mm Table Top Height



Weld Spatter Rust and Scratch Resistant

## STRONG HAND TOOLS 66 Piece - Rhino Cart Mobile Fixturing Station TDQ612075-K1



Push Handle



Storage Rack for Clamps



Storage Rack for Clamps  
Rear View



Pegboard with Accessories



Pegboard Panel for Storing  
Clamps and Accessories



2 x Fixed Caster Wheels



2 x Swivel Brake Caster  
Wheels




Leveling Feet



Inserta Clamp



Inserta Pliers



Right Angle Brackets

### Description

The Rhino Cart Mobile Fixturing Station is a turnkey system for fixturing and clamping in welding and fabrication. Clamp and fixture at any point on the reversible, flat, nitrided (heat treated) 1200 x 750mm tabletop for accuracy in all of your setups.

Accurately fit-up and hold work pieces for tacking and welding with the Rhino Cart package, including: The Rhino Cart Welding Table + 66 piece Fixture Kit. Rhino Package Part No.: TDQ612075-K1

16mm thick steel plate reversible tabletop with nitrided black oxide protective finish for wear, rust and weld spatter resistance. Accurately position parts in CNC precision bored 16mm diameter holes in 50 x 50mm spacing pattern

## STRONG HAND TOOLS 66 Piece - Rhino Cart Mobile Fixturing Station TDQ612075-K1

### Features

- Tabletop Life: Nitrided and black oxide table plate is reversible. Weld spatter, rust and scratch resistant.
- Tabletop Size: 1200 x 750mm
- Tabletop Thickness: 16mm
- Hole Diameter: Ø16mm
- Grid Pattern: 50 x 50mm
- Table Height: 910mm
- Static Loading Capacity: 700kg
- Package Net Weight: 195kg
- 2 x fixed & 2 x swivel brake caster wheels
- Levelling feet for mobile or stationary use
- Rhino shelves, racks and pegboard keep your fixing tools organised and within easy reach!

### Includes

- 1 x TDQ612075 - 1200 x 750 x 910mm Welding table cart
- 10 x T65055 - Ball lock bolt, adjustable range: 24 ~ 28mm
- 2 x T64201 - Ø16mm locating pin
- 2 x PT07K - Inserta pliers, 60mm opening, Max. 50mm reach
- 2 x PT09K - Inserta pliers, 85mm opening, Max. 75mm reach
- 2 x UDN6150 - Inserta clamp, 150mm opening, 83mm reach, 16 x 8mm (D Rail), T-handle
- 2 x T64217 - Magnetic top V pads for inserta pliers and inserta clamps
- 2 x TCX6210 - Side clamp, 38mm stroke
- 4 x T64203 - Stop, Ø25 x 38mm
- 4 x T64205 - Stop, Ø25 x 50mm
- 8 x T64216 - V-Block, Ø40 x 23mm
- 4 x T64211 - V-Block spacer, Ø40 x 27mm
- 8 x T60630 - D-Stop bar, 120 x 25 x 11.5mm
- 12 x T50737 - Magnetic rest button, Ø40 x 11.5mm
- 2 x T60304 - Right angle bracket, 41 x 91 x 30mm
- 2 x T60305 - Right angle bracket, 91 x 91 x 30mm
- 1 x Backing panel with square holes to suits hooks & holders
- 5 x Plastic buckets
- 1 x Bucket holder
- 10 x Single prong hooks
- 5 x Double prong hooks

### Specifications

<b>ORDER CODE</b>	W07705
<b>MODEL</b>	TDQ612075-K1
<b>Table Top Finish (Type)</b>	Nitrided Black Oxide
<b>Table Top Size (mm)</b>	1200 x 750
<b>Table Height (mm)</b>	910
<b>Table Side Height (mm)</b>	~
<b>Top Plate Thickness (mm)</b>	16
<b>Grid Pattern (mm)</b>	50 x 50
<b>Table Hole Diameter (Ø)</b>	16
<b>Table Slots (mm)</b>	~

**STRONG HAND TOOLS 66 Piece - Rhino Cart Mobile Fixturing Station TDQ612075-K1**

<b>Static Load Capacity (kg)</b>	700
<b>Total W.L.L. (kg)</b>	~
<b>Number of Legs (No.)</b>	~
<b>Nett Weight (kg)</b>	195