

HAFCO-WOODMASTER CD-2



Dust Collector - Canister Cyclone



HAFCO-WOODMASTER Dust Collector - Canister Cyclone CD-2



Quick Release Waste Bin



Quick Release Handle



Height Indicator on Bin



Rotary Hand Wheel for Manual Cleaning



Switch



Dual Inlets



Side View

Description

LPHV = Low Pressure High Volume System

The dust and shavings of LPHV extractors are sucked through the impeller fan blade and then the waste falls into the lower bag, the air being exhausted through the top filter bag, collecting some of the fine dust on the way. This type of extraction shifts huge volumes of air at low pressure and they are very efficient at removing bulk waste such from Planers, Thicknessers & Wood Lathes etc, hence some people call them chip collectors. The downfall with all LPHV dust collector systems is when you reduce the intake hose from 100mm to 32mm the air flow volume is affected dramatically.

Features

- 1.5kW (2HP) 240V motor
- 1050cfm air flow suction
- Portable 2 stage cyclone dust collector on wheels
- Separates 99.91% dust from air before the cartridge filter preventing the canister filter from clogging
- 0.2 micron pleated canister filter
- Steel drum with caster wheels for easy dust disposal
- Built-in plastic bag holding system makes PE bag fit well in steel drum
- Quick drum release lever for easy drum removal
- 100mm(4") x twin inlets
- Quick-action release clamp on dust collection bag
- Filter surface area: 3.8 M2
- 113.5 litre steel drum capacity
- Machine Dimensions (LxWxH): 1300 x 830 x 1720mm
- MADE IN TAIWAN

HAFCO-WOODMASTER Dust Collector - Canister Cyclone CD-2

Specifications

ORDER CODE	W317
MODEL	CD-2
Type	Dust Collector & Cyclone Separator
Airflow (CFM)	1050
LPHV - Low Pressure High Volume (Yes / No)	Yes
HPLV - High Pressure Low Volume (Yes / No)	No
Inlets / Diameter (No. / mm)	2 x Ø100
Outlets / Diameter (No. / mm)	~
Motor Power (kW / hp)	1.5 / 2
Voltage (V / amp)	240 / 15
Floor Space (W x D x H) (mm)	~
Nett Weight (kg)	77