

## SCHEPPACH HS120



Table Saw

550 x 800mm Steel Table



## SCHEPPACH Table Saw HS120



Low Front View



Low Right Front View



Low Rear View



Low Left View



Left View



Left Side View



Front View



Right View



Right Side View



Right Rear View



Top View



Extension Table Mounted On Side



Extension Table Mounted On Side Rear



Extension Table Mounted On Side Right



Extension Table Mounted On Side Low



Sliding Table With Mitre Guide

**SCHEPPACH Table Saw HS120**



Sliding Table Rear View



Sliding Table Design



Mitre Guide



Mitre Guide Scale



Cross Cut Fence



Cross Cut Scale



Cross Cut Fence Locking Lever



Blade Tilted to 45 Degrees



Blade At 45 Degrees Close Up



315mm Saw Blade With Blade Guard



Blade Controls



Blade Height Adjustment



Blade Tilt Scale and Locking Handle



Blade Tilt Rear Locking Handle



3hp 240V Induction Motor With Brake



Mobile On Wheels


## SCHEPPACH Table Saw HS120



Mobile Wheels



100mm Dust Outlet



Handles For Moving Saw  
Around



Storage Hooks For Push  
Stick



On Off Switch



Parts Included

### Description

#### SCHEPPACH HS120 240V SAW BENCH WITH SLIDING TABLE

Ideal for sawing solid timbers, boards and other wood-like materials in the workshop or construction sites. Their generous specification fulfils the need for ripping, cross cutting, angle and compound angle cuts.

The HS120 has a long life quality TCT saw blade coupled to a power 2.2kW / 3hp motor with a brake, and also includes a solid fence for increased accuracy and is capable to rip, bevel and perform various compound mitre cuts. This table saws represent amazing "value for money".

### Features

- German design & technology
- Portable on wheels - ideal for site work or home work shop
- 550 x 800mm steel work table with 400 x 800mm table extension mountable to either side or rear of table
- Large 950 x 800mm work table with side extension
- Large 550 x 1600mm work table with rear extension
- Powerful 2.2kW / 3hp 240V induction motor with brake
- 83mm depth of cut @ 90°
- 49mm depth of cut @ 45°
- 800mm work table height
- Sturdy, powder-coated sheet steel design and galvanised table-top
- Blade guard connected to dust port outlet
- Ø100mm dust port outlet located under blade housing
- Adjustable blade height by hand wheel
- Equipped with a sliding & mitre guide, table length extension

**SCHEPPACH Table Saw HS120****Includes**

- Ø315mm x 24 Teeth TCT saw blade
- Blade guard with dust outlet
- Cross-cut fence
- Sliding table with mitre guide
- Extension table
- Stand

**Specifications**

<b>ORDER CODE</b>	W443
<b>MODEL</b>	HS120 with Sliding Table
<b>Blade Diameter (mm)</b>	Ø315
<b>Table Size (W x H) (mm)</b>	550 x 800
<b>Table Size With Extensions (mm)</b>	950 x 800
<b>Max. Depth Of Cut 90° &amp; 45° (mm)</b>	83 / 49
<b>Scribe Blade Diameter (mm)</b>	~
<b>Tilt Arbor To 45°</b>	Yes
<b>Sliding Table Stroke (mm)</b>	200
<b>Cross Cut with Flip Over Stop (mm)</b>	750
<b>Cross Cut with Extension Stop (mm)</b>	~
<b>Rip Capacity (mm)</b>	260
<b>Motor Power (kW / hp)</b>	2.2 / 3
<b>Voltage / Amperage (V / amp)</b>	240 / 10
<b>Floor Space Required (W x D x H) (mm)</b>	1600 x 1100 x 1050
<b>Weight (nett) (kg)</b>	65