

HAFCO-WOODMASTER PT-300



Planer & Thicknesser Combination - HSS Blades

304mm Wide Planer Capacity




HAFCO-WOODMASTER Planer & Thicknesser Combination - HSS Blades PT-300



Table Height Gauge



On Off Buttons



3 Blade Cutter Head



Adjustable Double Lock Fence



Adjustable Tilting Fence



Blade Guard Tension



Adjustable Blade Guard



Safety Stop Switch



Table Height Adjustment



Dust Chute



Feed Engage Levers



Aluminium Extrusion Fence



Table Height Adjustment Handle



Shown with Optional PT300 Mortising Attachment (W615)

HAFCO-WOODMASTER Planer & Thicknesser Combination - HSS Blades PT-300

Description

You don't have to choose between buying a planer or a thicknesser – with the PT-300 you can have the best of both worlds in one. Hafco Woodmaster has designed a machine that's user friendly changeover between planing and thicknessing functions. This versatile machine features an extra heavy duty cast aluminium extruded fence with centred controls for quick adjustments, a built-in dust chute capable of handling both operations.

The surfacing tables are cast iron, 1510mm long and precision planed to ensure the most accurate results. The four HSS blade cutter block is powered by a powerful 2.25kW 415V motor that can handle the toughest timbers that results in a superior finish every time

Features

- Heavy-duty 2.25kW / 3hp 415V motor
- 304mm wide x 220mm high thicknesser capacity
- Auto-feed thicknesser rollers 5m/min
- 5500rpm cutter head speed
- Three blades on Ø78mm cutter head
- 1510 x 400mm jointer table size
- Large aluminium fence tilts 45-90° with 4-way locking system and unique sliding design
- Heavy duty cast iron tables with a machined finish to ensure accuracy and flatness
- Large handwheel for quick and precise adjustments of thickness height
- 100mm dust chute

Specifications

ORDER CODE	W614
MODEL	PT-300
Planer Capacity (mm)	304
Cutter Head Type (HSS / Carb)	HSS Blades
Table Length - Planer (mm)	1510
Table Height - Planer (mm)	910
Length of Infeed Planer Table (mm)	740
Length of Outfeed Planer Table (mm)	733
Fence Length x Height (mm)	1050 x 160
Thicknesser Capacity (mm)	304 x 220
Table Length - Thicknesser (mm)	588
Feed Speed (m/min)	5
Cutter Block Diameter (mm)	78
Cutter Block Speed (rpm)	5500
Motor Power (kW / hp)	2.25 / 3
Voltage / Amperage (V / amp)	415
Floor Space (W x D x H) (mm)	1700 x 850 x 1080
Nett Weight (kg)	316