

## **HAFCO-WOODMASTER PJ-6B**



**Bench Planer Jointer**

**153mm Width Capacity**




## HAFCO-WOODMASTER Bench Planer Jointer PJ-6B



Adjustable Blade Guard



Adjustable Tilting Fence




Tilt Fence Adjustment



Table Height Adjustment Dial



2 Blade Cutter Head



ON OFF Switch



2 x Push Blocks



Included Dust Bag



Left View



Rear View

### Description

The PJ-6B Planer/Joiner is perfectly designed for all those light to medium duty applications. This unique jointer comes with a 730mm long cast iron table and a 580 x 110mm adjustable tilting fence that allows the operator many options to plane timber effortlessly at the desired angle.

This little planer has a very generous 153mm maximum cut width, and it is mainly constructed from cast iron material to provide ample rigidity, and helps dramatically reduce vibration when under load. The two HSS cutting blades are powered by a 1.5hp 240V motor, and spins the blades at a very impressive 10000rpm. Another great feature that's supplied standard with this machine is the unique built-in fan with dust chute and bag system to collect its own timber waste.

The PJ-6B Planer is perfect for when a portable compact machine is needed for all those one-off jobs, and also to save on valuable storage space. This is ideal for any small woodwork shop or for the home hobbyist who needs to occasionally plane timber.

## HAFCO-WOODMASTER Bench Planer Jointer PJ-6B

### Features

- 153mm width capacity
- 2 x HSS blade cutter head
- Cast iron table & fence
- Cast aluminium body
- Adjustable tilting fence to 45°
- Built in fan with dust chute & collection bag
- 10000rpm blade speed with 20000 cuts per minute
- Magnetic safety power switch with stop button
- Aluminium blade cover with quick action lock
- 3mm maximum depth of cut
- Adjustable in-feed table
- Anti vibration rubber feet
- 1.1kW / 1.5hp 240V motor

### Specifications

<b>ORDER CODE</b>	W618
<b>MODEL</b>	PJ-6B
<b>Width Capacity (mm / inch)</b>	153 / 6
<b>Maximum Depth of Cut (mm)</b>	3
<b>Table Length (mm)</b>	730
<b>Length of Infeed Table (mm)</b>	340
<b>Length of Outfeed Table (mm)</b>	347
<b>Rebate (mm)</b>	~
<b>Fence Length x Height (mm)</b>	580 x 110
<b>Blade Cutter (Type)</b>	HSS
<b>Blade Quantity (No.)</b>	2
<b>Cutter Block Diameter (mm)</b>	~
<b>Cutter Block Speed (rpm)</b>	10000
<b>Dust Port Diameter (mm)</b>	60
<b>Motor Power (kW / hp)</b>	1.1 / 1.5
<b>Voltage / Amperage (V / amp)</b>	240 / 10
<b>Floor Space (W x D x H) (mm)</b>	1150 x 650 x 320
<b>Nett Weight (kg)</b>	40