

HAFCO-WOODMASTER T-13B



Bench Mount Thicknesser - HSS Blades

330 x 152mm (W x H) Material Capacity



HAFCO-WOODMASTER Bench Mount Thicknesser - HSS Blades T-13B




Rear View



Thickness Depth Cut Indicator



HSS Blades



Height Gauge Scale



Height Adjustment Handle



Top Rollers



Rear Dust Chute



Emergency Stop



On - Off Safety Switch



Power Reset Button



Carry Handles



10Amp Power Plug



Magnetic Blade Removers



Front View



Left View

HAFCO-WOODMASTER Bench Mount Thicknesser - HSS Blades T-13B

Description

The T-13B boasts a powerful 1500W / 2hp 240V, 10 AMP motor that quickly removes material up to 2.5mm thick with each pass. The cutter head is fitted with two HSS blades that's coupled with the feed speed of 6m/min that ensures an excellent ripple free finish. This thicknesser is also fitted with overload protection with a reset circuit breaker.

Includes fold down table extensions provides support for long work pieces and dust hood for connection to a vacuum or dust extractor.

Features

- Easily portable machine
- 1.5kW / 2hp 240V motor
- 330mm x 152mm timber capacity
- Powered feed rollers
- Cut depth indicator
- Safety NVR switch
- 4 post design
- Anti-Kick back fingers
- Two double sided HSS blades with quick action change and blade setting jig
- Extension tables
- Includes 102/65mm dust chute
- A dust collector is required with this thicknesser

Specifications

ORDER CODE	W812
MODEL	T-13B
Material Width Capacity (mm)	330
Material Height Capacity (mm)	152
Minimum Material Length (mm)	178
Maximum Depth of Cut (mm)	1.5mm @ 330mm Wide 3.3mm @ 152mm Wide
Cutter Type	HSS Blades - Straight
Quantity of Cutters (No. x Type)	2 x Blades
Cutter Block Diameter (mm)	50
Cutter Block Speed (rpm)	8500
Quantity of Spirals (No.)	~
Length of Table (mm)	190
Length of Table with Extensions/Rollers (mm)	630
Feed Speed (m/min)	6
Dust Outlet Diameter (mm)	102/65
Motor Power (kW / hp)	1.5 / 2
Voltage / Amperage (V / amp)	240 / 10
Floor Space (W x D x H) (mm)	600 x 630 x 480
Floor Space With Option Stand (W x D x H) (mm)	515 x 605 x 1260
Nett Weight (kg)	35